



CB
CONCEPTBATH

CAST STONE

SERIES SANITARY WARE

A new generation of environmental sensitive sanitary wares, from an advanced production technology, creat a trend of consuming the characteristic products. Hygienic Smooth Surface Easy To Clean.

Cast Stone has been developed from a casted stone, non-porous material that is impervious to the growth of mould, mildew or bacteria and as a non-porous, liquids and stains cannot penetrate, so it's easy to clean and maintain. When Cast Stone looks clean, it really is clean.

Non-toxic

Cast Stone is an inert, non-toxic, hypoallergenic material that under normal temperature conditions it does not emit gasses. Because of these properties, Case Stone is ideal for use in public spaces and delicate Applications, and is a seamless product.

The durability of Cast Stone adds to its versatility. You can cut it, rout it, drill it, sculpt it, bend it, or work it like a fine wood, The ability Of Cast Stone to be thermoformed that allows it to flow with both traditional and nontraditional designs.

Not Delaminated

The colour and pattern of Cast Stone run through the entire thickness of the material and cannot wear away. Cast Stone is a solid material and cannot delaminate.





- Special custom-made
- Eco-friendly & Harmless
- Long service life
- Plenty of color options
- With solid body, run through the entire thickness of the material

CB
CONCEPT BATH

CB
CONCEPTBATH
BATH TUB





CB
CONCEPT BATH

CBD-GP- 11675
ø1600×H750

CBD-GP- 11818
ø1795×H810

CBD-GP- 45091
ø500×H900

CBD-GP-
11552
Ø1490XH520



CBD-GP-
11360
Ø1300XH600





CBD-GP- 35050
Ø495×H165

■ Special custom-made

Own the molding technology to design diversified products with flexibility, can be customizable to meet personal requirements.

CBD- 11561
Ø1495×H595

CBD- 11560
Ø1495×H595

CBD- 11760
Ø1700×H600

CBD- 11860
Ø1800×H600

CBD-GP- 37040
L690XW405XH140

CBD-GP- 11677
L1600XW780XH525

CBD-GP- 11778
L1700XW775XH530

CBD-GP- 11880
L1730XW800XH540

CB
CONCEPT **BATH**

CBD-GP- 11580
L1505×W785×H600

CBD-GP- 11569
L1560×W690×H650



CBD-GP- 11780
L1731×W825×H585



CB
CONCEPTBATH

CBD-GP- 11785
L1690×W840×H610





CBD-GP- 11799
L1715XW990XH550

CBD-GP- 11890
L1780XW890XH720



CBD-GP- 11810
L1790×W1065×H550

CBD-GP- 11811
L1790×W1065×H480

CBD-GP- 11911
L1900×W1000×H580

CBD-GP- 11914
L1900×W1000×H600

CB
CONCEPT **BATH**

CBD-GP- 11878
L1760×W780×H555



CBD-GP- 11881
L1800×W800×H540



■ Ecofriendly&Harmless

Use natural raw material,
Non-toxic, Non-radiation,
be recycled, a new generation
of environmental material.

CBD-GP- 11680
L1650XW800XH725



CBD-GP- 11884
L1795XW750XH635



CBD-GP- 11687
L1650XW800XH725





CBD-GP- 11815
L1835XW1485XH565

CBD-GP- 11813
L1795XW1200XH565

CBD-GP- 35846
L575XW460XH180

CBD-GP- 35745
L570XW450XH145

CB
CONCEPTBATH



CBD-GP- 11410
L1400XW1000XH500



CBD-GP- 11990
L1850XW900XH600



CBD-GP- 11913
L1900XW1100XH550

CAST STONE I24



CBD-GP- 11910
L1900XW1000XH580

CB
CONCEPTBATH

CAST STONE I25



CBD-GP- 11586
L1485XW860XH645



CBD-GP- 11782
L1700XW800XH610

CBD-GP- 11882
L1795XW805XH555



CBD-GP- 11710
L703XW1016XH600

- To engrave personalized pattern according to customer' requirements



■ Plenty of color options

In addition to the solid color series, we also provide nature marble-like pattern series, they show nice pattern and tincture.

CBD-GP- 11671
L1585×W685×H555

CBD-GP- 11576
L1500×W750×H555



CBD-GP-12112
L2100XW1170XH470
CBD-GP-11611
L1660XW1140XH470

CB
CONCEPT **BATH**



CBD-GP- 11920
L2900XW1970XH470



CBD-GP- 11912
L1880XW1240XH650



CBD- 11681
L1650XW800XH600

Be customizable to make larger size of bathtub





CBD-GP- 11575
L1510XW755XH460



CBD-GP- 11558
L1560XW670XH580

CBD-GP- 11772
L1700XW720XH560



CBD-GP- 11883
L1805XW806XH630



CB
CONCEPT **BATH**



CBD-GP- 11891
L1790×W890×H705




CBD-GP- 11676
L1600×W760×H550

CBD-GP- 11773
L1695×W730×H570

CBD-GP- 11885
L1795×W800×H600

CBD-GP- 21550
L1480XW495XH245



CB
CONCEPT BATH

CBD-GP- 11812
L1785XW1245XH570

CB
CONCEPT BATH
BASIN





CBD-GP- 21652
L1600XW520XH200

CAST STONE 144



CBD-GP- 21245
L1190XW450XH135

CB
CONCEPT **BATH**

CAST STONE 145



CBD-GP- 21852
L1790×W515×H165

CAST STONE 146

■ Long service life

The same material both inside and outside of products, which make it looks integrated, water absorption rate is low to 0.034% ,with long service life.



CBD-GP- 21957
L1925×W565×H250

CBD-GP- 21248
L1185×W480×H250



CBD-GP- 21450
L1365×W500×H75

CAST STONE 147

CBD-GP- 44082
Ø400XH810

CBD-GP- 45081
Ø450XH810

CBD-GP- 45082
Ø495XH820





CBD-GP-
44585
Ø450×H830

CAST STONE I50



CBD-GP-
44881
Ø480×H810

CB
CONCEPT **BATH** CAST STONE I51



CBD-GP- 44592
L450XW450XH900

CB
CONCEPT **BATH**

■ With solid body, run through the entire thickness of the material

Easy cleaning and repair, small scratches and cut marks would be polished by sandpaper. use the same product material outside and inside, the seamless splicing processing and great flexible performance, the most is there are good features of anti-rupture, anti-break and anti-crack.



CBD-GP- 44091
ø500XH900



CBD- 45090
L2500XW500XH900



CBD-GP- 44582
L445XW495XH815



CBD-GP- 44081
L400XW400XH820



CBD-GP- 46081
L595XW410XH820

CAST STONE 156




CBD-GP- 45182
L520XW420XH810

CB
CONCEPTBATH CAST STONE 157



CBD-GP-
45679
Ø560×H810

CB
CONCEPT **BATH**



CBD-GP-
44583
Ø450×H830



CBD-GP- 45084
L500×W450×H830

CBD-GP- 45083
L450×W450×H830



CBD-GP- 46082
Ø600XH815

SERIES SANITARY WARE

- Special custom-made
Own the molding technology to design diversified products with flexibility,can be customizable to meet personal requirements.
- Eco-friendly&Harmless
Use natural raw material,Non-toxic, Non-radiation, be recycled, a new generation of environmental material.
- Long service life
The same material both inside and outside of products,which make it looks integrated,water absorption rate is low to 0.034% ,with long service life.
- Plenty of color options and the texture of nature marble
In addition to the solid color series ,we also provide nature marble-like pattern series,they show nice pattern and tincture.
- With solid body,run through the entire thickness of the material
Easy cleaning and repair,small scratches and cut marks would be polished by sandpaper.use the same product material outside and inside ,the seamless splicing processing and great flexible performance,the most is there are good features of anti-rupture,anti-break and anti-crack.

CB
CONCEPTBATH



CBD-GP- 35838
L565XW375XH130



CBD-GP- 38650
L855XW510XH105



CBD-GP- 35151
Ø510XH100



CBD-GP- 35535
L540XW345XH160



CBD-GP- 33838
L385XW385XH140



CBD-GP- 36141
L610XW415XH145



CBD-GP- 35037
L505XW370XH155



CBD-GP- 36139
L615XW400XH130



CBD-GP- 36040
L595XW400XH155



CBD-GP- 34646
Ø460XH165



CBD-GP- 34545
L445XW445XH165



CBD- 35939
L590XW385XH150



CBD-GP- 35010
 Ø495XH100



CBD-GP- 37041
 L670XW395XH200




CONCEPT BATH

CONCEPT BATH BATHTUB FAUCET







































PRODUCT DIMENSION






























PRODUCT DIMENSION












CBD-GP-21957




CBD-GP-35535




CBD-GP-36038




CBD-GP-37041




CBD-GP-22246




CBD-GP-35745




CBD-GP-36040




CBD-GP-38650




CBD-GP-25345




CBD-GP-35746




CBD-GP-36045




CBD-GP-44081




CBD-GP-35037




CBD-GP-35838




CBD-GP-36139




CBD-GP-44082




CBD-GP-35050




CBD-GP-35939




CBD-GP-36141




CBD-GP-44582




CBD-GP-35151




CBD-GP-36035




CBD-GP-37040




CBD-GP-44585




CBD-GP-44583




CBD-GP-45091




CBD-GP-44881




CBD-GP-45182




CBD-GP-44592




CBD-GP-45679




CBD-GP-45081




CBD-GP-46081




CBD-GP-45082



CBD-GP-46082



CBD-GP-45083



CBD-GP-46083





Bureau of Assessment Services

Managing Assurance with Confidence

Certificate of Registration

This is to certify that

Concept Bath Trading FZE

P.O. Box: 31291, Al Jazeera Al Hamra, Ras Al Khaimah, United Arab Emirates.

has been assessed by Bureau of Assessment Services and hereby attests that the organization has satisfied that it operates a Quality Management System in accordance with the requirements of

ISO 9001:2008

The Quality Management System is applicable to:

Creating, Developing and Trading Bath and Kitchen Products.

[EA/NACE: 29/46.49]


Certification Manager
Bureau of Assessment Services

Certificate issue date : 08-January-2014
Certificate valid till : 07-January-2017
Certificate No : AE-BAS-Q0002009



Further clarification regarding the scope of the certificate and the applicability of ISO 9001:2008 requirements may be obtained by consulting the organization.
This certificate remains valid while the holder maintains the management system in accordance with the standard above, which will be audited by Bureau of Assessment Services through surveillance audits. This certificate remains the property of Bureau of Assessment Services. Lack of fulfillment of conditions as set out in the certification agreement may render this certificate invalid.
Issuing Country: Bureau of Assessment Services, P.O. Box: 116898, Al Karama, Dubai, United Arab Emirates.
Bureau of Assessment Services (UK) Limited, 2 Woodberry Grove, North Finchley, London N12 0DR, United Kingdom
Company Number: 07578287.



Bureau of Assessment Services

Managing Assurance with Confidence

Certificate of Registration

This is to certify that

Concept Bath Trading FZE

P.O. Box: 31291, Al Jazeera Al Hamra, Ras Al Khaimah, United Arab Emirates.

has been assessed by Bureau of Assessment Services and hereby attests that the organization has satisfied that it operates a Customer Complaints Management System in accordance with the requirements of

ISO 10002:2004

The Customer Complaints Management System is applicable to:

Creating, Developing and Trading Bath and Kitchen Products.

[EA/NACE: 29/46.49]


Certification Manager
Bureau of Assessment Services

Certificate issue date : 08-January-2014
Certificate valid till : 07-January-2017
Certificate No : AE-BAS-QC0002010



Further clarification regarding the scope of the certificate and the applicability of ISO 10002:2004 requirements may be obtained by consulting the organization.
This certificate remains valid while the holder maintains the management system in accordance with the standard above, which will be audited by Bureau of Assessment Services through surveillance audits. This certificate remains the property of Bureau of Assessment Services. Lack of fulfillment of conditions as set out in the certification agreement may render this certificate invalid.
Issuing Country: Bureau of Assessment Services, P.O. Box: 116898, Al Karama, Dubai, United Arab Emirates.
Bureau of Assessment Services (UK) Limited, 2 Woodberry Grove, North Finchley, London N12 0DR, United Kingdom
Company Number: 07578287.



RENEWING CAST STONE

While nicks, stains, cuts and scratches can permanently mark most of other stone surfaces, they will not compromise to the appearance of Cast Stone's solid surfaces, that is because it is easy to restore Cast Stone to its original state, by using an ordinary abrasive cleanser and common household degreaser. And if damage does occur, Cast stone can be repaired on site, saving both downtime and aggravation. Like other high-use product, damages are inevitable with Cast Stone, But because Cast Stone is solid all the way through, it is easy to retrieve to its original appearance following the method as described below.

- Identify the extent of damages and ascertain whether a simple repair will solve the problem.
- If the damage is minor, try to repair it with an ordinary abrasive cleanser or a common household degreaser.
- If the above method is unsuccessful, follow the simple polishing steps below.
- 1/Clean the surface with clear water, ensure no dust is remaining.
 - 2/Use #600 sandpaper to polish the surface in concentration with clear water.
 - 3/Use #1000 sandpaper to polish the surface in concentration with clear water until gaining a smooth surface.
 - 4/Wipe out water with dry and clean cloth.
 - 5/Polish with 3M wax.



TEST REPORT

No. : XMML121204574
Date : Dec.19, 2012
Page: 2 of 4

Sample information:

See the photo

Test results:

Test item(s)	Test method(s)	Test information	Test result(s)
Impact test	Refer to ANSI Z 124.6-2007	Specimen: 810mm×660mm, 1pcs	No damage
Stain resistance ^{note}	ANSI Z 124.6-2007	Specimen: 100mm×100mm, 10pcs	Total stain resistance rating: 45 Maximum individual depth of staining: 0.030mm
Chemical resistance	ANSI Z 124.6-2007	Specimen: 100mm×100mm, 15pcs	Unaffected
Boiling water resistance	NEMA LD 3-2005	Specimen: 200mm×200mm, 1pcs	No effect
High temperature resistance	NEMA LD 3-2005	Specimen: 200mm×200mm, 1pcs	No effect

Note: For the test item of stain resistance, the maximum allowable total rating shall be 64 and the maximum allowable thickness of material removed to eliminate the stain shall be 0.127mm.
***** To be continued*****

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client, and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Attention: To ensure authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@sgs.com

SGS Standards Technical Service Co., Ltd. No.31 Xianghong Road, Xiang'an Torch Industrial Zone, Xiamen, Fujian Province, China. 361101 t (86-592) 5761588 f (86-592) 5765380 www.sgs.com.cn
Xiamen Branch Testing Center & Calibration Laboratory 中国·福建·厦门·火炬(翔安)产业区翔虹路31号 邮编:361101 t (86-592) 5761588 f (86-592) 5765380 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)