

MIRROR SERIES



Our aim is to offer comprehensive solutions for your needs in sanitary appliances, with innovatively designed and high-performance products










SENSOR SWITCH SERIES



IT LIGHTS UP
AUTOMATICALLY WHEN
YOUR FACE IS NEAR
THE MIRROR
—YOU DON'T NEED TO
TOUCH THE SWITCH





MAXIMUM ADJUSTABILITY

All our sensor mirrors are designed for maximum adjustability. The mirror tilts back fully so you always have a clear, comfortable view.



SENSOR ON / OFF

Detects when you are in front of the mirror so it lights up automatically as your face approaches



CORDLESS & RECHARGEABLE

Recharges with standard USB. One charge lasts up to 5 weeks.

USE THE BEST LIGHT:

. CAN IMPROVE YOUR DAILY MAKEUP STEPS, 3P.PMMA LAMP SYSTEM IN THE MIRROR CAN SIMULATE NATURAL LIGHT VERY WELL, O THAT YOU CAN SEE THE SUBTLE CHANGES IN MAKEUP LET YOUR MAKEUP MORE PERFECT.

· PAGE · 04

SENSOR SWITCH SERIES



DESCRIPTION:

1.LGP-PMMA system with 3D optical light guide technology

2.Induction system with face scan

3. Rising-falling adjustment within 7CM

4.Imported acrylic HD silvering mirror with 0-5 fold enlargement

5.Multi-angle adjustment

6.Metallic stand

7.No fingerprints scar treatment

8. Stable structure & skid-resistant base

9.Built-in 6000 mAh rechargeable lithium battery

10.Charge with the USB data line

SPECIFICATION:

1.Product name:Desktop Makeup mirror

2.Product No.:JH-M8880

3.Main material 304 Stainless Steel/Zinc Alloy/ABS/Silvering Mirror

4.Amplification:0-5 fold enlargement

5.Weight:1500g

6.Size:Diameter 200mm

7.Operating Humidity:0%-85%RH

8.Operating temperature:-10-40°C

9.Battery type:rechargeable lithium battery(6000mAh)

10.External input:DC 5V/1A

11.Power:maximum output power 3W





PATENTED PRODUCTS








SENSOR SWITCH SERIES





DESCRIPTION:

- 1.LGP-PMMA system with 3D optical light guide technology
- 2.Induction system with face scan
- 3.Extensible within 10CM
- 4.Imported acrylic HD silvering mirror with 0-5 fold enlargement
- 5.Multi-angle adjustment
- 6.Metallic stand
- 7.No fingerprints scar treatment
- 8.Design of stable wall-hung type
- 9.Built-in 6000 mAh rechargeable lithium battery
- 10.Charge with the USB data line

SPECIFICATION:

- 1.Product name:Wall-hung type Makeup mirror
- 2.Product No.:JH-M8881
- 3.Main material:304 Stainless Steel/Zinc Alloy/ABS/Silvering Mirror
- 4.Amplification:0-5 fold enlargement
- 5.Weight:1200g
- 6.Size:Diameter 200mm
- 7.Operating Humidity:0%-85%RH
- 8.Operating temperature:-10-40°C
- 9.Battery type:rechargeable lithium battery(6000mAh)
- 10.External input:DC 5V/1A
- 11.Power:maximum output power 3W








NO.: M8881BN

NO.: M8881CP

NO.: M8881MB








NO.: M8881PW

NO.: M8881BG

NO.: M8881BR

07 · PAGE



TOUCH SWITCH SERIES



DESCRIPTION:

- 1.360°ring-shaped LED light design
- 2.Touch switch
- 3.Adjustable brightness by long-press
- 4.Imported acrylic HD silvering mirror with 0-5 fold enlargement
- 5.Multi-angle adjustment
- 6.Coppering stand
- 7.Stable structure & skid-resistant base
- 8.Built-in 3600 mAh rechargeable lithium battery
- 9.Charge with USB data line

SPECIFICATION:


- 1.Product name: Makeup mirror
- 2.Product No.:JH-ML331
- 3.Main material: Coppering/Zinc Alloy/ABS/Silvering Mirror
- 4.Amplification:0-5 fold enlargement
- 5.Weight:1300g
- 6.Size:190mm×190mm
- 7.Operating Humidity:0%-85%RH
- 8.Operating temperature:-10-40°C
- 9.Battery type:rechargeable lithium battery(3600mAh)
- 10.External input:DC 5V/1A
- 11.Power:maximum output power 3W



11 · PAGE · · · · PAGE · · ·

TOUCH SWITCH SERIES





PATENTED PRODUCTS

镀铬 - CP Chrome-plating




DESCRIPTION:

- 1.360°ring-shaped LED light design
- 2. Touch switch
- 3.Adjustable brightness by long-press
- 4.Imported acrylic HD silvering mirror with 0-5 fold enlargement
- 5.Multi-angle adjustment
- 6.Coppering stand
- 7.Design of stable wall-hung type
- 8.100-250V External Power Supply/Built-in Power Supply

SPECIFICATION:

- 1.Product name:Wall-hung type Makeup mirror
- 2.Product No.:JH-ML332
- 3.Main material:Coppering/Zinc Alloy/ABS/Silvering Mirror
- 4.Amplification:0-5 fold enlargement
- 5.Weight:1400g
- 6.Size:190mm×190mm
- 7.Operating Humidity:0%-85%
- 8.Operating temperature:-10-40°C
- 9.External input:100-250V ~ :50/60hz
- 10.Power:maximum output power 3W



13 · PAGE PAGE · 14

TOUCH SWITCH SERIES



DESCRIPTION:

- 1.360°ring-shaped LED light design
- 2.Touch switch
- 3. Adjustable brightness by long-press
- 4.Imported acrylic HD silvering mirror with 0-5 fold enlargement
- 5.360° rotatable angle adjustment
- 6.Coppering stand
- 7.Stable structure & skid-resistant base
- 8.Built-in 3600 mAh rechargeable lithium battery
- 9.Charge with USB data line

SPECIFICATION:

- 1.Product name:Desktop Makeup mirror
- 2.Product No.:JH-ML221
- 3. Main material: Coppering/304 Stainless Steel/ABS/Silvering Mirror
- 4.Amplification:0-5 fold enlargement
- 5.Weight:1150g
- 6.Size:Diameter 170mm
- 7.Operating Humidity:0%-85%RH
- 8.Operating temperature:-10-40℃
- 9.Battery type:rechargeable lithium battery(3600mAh)
- 10.External input:DC 5V/1A
- 11.Power:maximum output power 3W



PATENTED PRODUCTS







DESCRIPTION:

- 1.360°ring-shaped LED light design
- 2.Touch switch
- 3.Adjustable brightness by long-press
- 4.Imported acrylic HD silvering mirror with 0-5 fold enlargement
- 5.360° rotatable angle adjustment
- 6.Coppering stand
- 7.Design of stable wall-hung type
- 8.100-250V External Power Supply/Built-in Power Supply

PATENTED PRODUCTS



SPECIFICATION:

- 1.Product name:Wall-hung type Makeup mirror
- 2.Product No.:JH-ML222
- 3.Main material:Coppering/Zinc Alloy/304 Stainless Steel/ABS/ Silvering Mirror
- 4.Amplification:0-5 fold enlargement
- 5.Weight:1300g
- 6.Size:Diameter 170mm
- 7.Operating Humidity:0%-85%RH
- 8.Operating temperature:-10-40℃
- 9.External input:100-250V \sim :50/60hz
- 10.Power:maximum output power 3W

TOUCH SWITCH SERIES



SHORT PRESS SWITCH





DESCRIPTION:

- 1.360°ring-shaped LED light design
- 2.Touch switch
- 3. Short press switch bright/warm light
- 4.Imported acrylic HD silvering mirror with 0-5 fold enlargement
- 5.Multi-angle adjustment
- 6.Coppering stand
- 7.Stable structure & skid-resistant base
- 8.Built-in 3600 mAh rechargeable lithium battery
- 9.Charge with USB data line

SPECIFICATION:

- 1.Product name:Desktop Makeup mirror
- 2.Product No.:JH-ML551
- 3.Main material:Coppering/304 Stainless Steel/Silvering Mirror
- 4.Amplification:0-5 fold enlargement
- 5.Weight:1200g
- 6.Size:Diameter 167mm
- 7.Operating Humidity:0%-85%RH
- 8.Operating temperature:-10-40°C
- 9.Battery type:rechargeable lithium battery(3600mAh)
- 10.External input:DC 5V/1A
- 11.Power:maximum output power 3W

PATENTED PRODUCTS

COLOUR:

Chrome-plating


NO.: ML551




Brushed Nickel plating

TOUCH SWITCH SERIES

NO.: ML552





DESCRIPTION:

- 1.360°ring-shaped LED light design
- 2.Touch switch
- 3. Short press switch bright/warm light
- 4.Imported acrylic HD silvering mirror with 0-5 fold enlargement
- 5.Multi-angle adjustment
- 6.Coppering stand
- 7.Design of stable wall-hung type
- 8.100-250V External Power Supply/Built-in Power Supply

SPECIFICATION:


- 1.Product name:Wall-hung type Makeup mirror
- 2.Product No.:JH-ML552
- 3.Main material:Coppering/Zinc Alloy/Silvering Mirror
- 4.Amplification:0-5 fold enlargement
- 5.Weight:1350g
- 6.Size:Diameter 167mm
- 7.Operating Humidity:0%-85%RH
- 8.Operating temperature:-10-40℃
- 9.External input:100-250V~:50/60hz
- 10.Power:maximum output power 3W

PUSH BUTTON DESIGN,
EASY TO OPERATE.
DESIGN WITH THE SOFT
LIGHT, YOU CAN MEET
YOUR BEST MAKEUP LOOK

PUSH BUTTON SWITCH SERIES







DESCRIPTION:

- 1.360°ring-shaped LED light design
- 2.Button switch
- 3.Imported acrylic HD silvering mirror with 0-5 fold enlargement
- 4.360° rotatable angle adjustment
- 5.Coppering stand
- 6.Stable structure & skid-resistant base
- 7.100-250V External Power Supply/Built-in Power Supply

SPECIFICATION:

- 1.Product name:Desktop Makeup mirror
- 2.Product No.:JH-ML9100
- 3. Main material: Coppering/304 Stainless Steel/Silvering Mirror
- 4.Amplification:0-5 fold enlargement
- 5.Weight:1083g
- 6.Size:Diameter 180mm
- 7.Operating Humidity:0%-85%RH
- 8.Operating temperature:-10-40℃
- 9.External input:100-250V~:50/60hz
- 10.Output: 12-25VDC 30mA
- 11.Power:maximum output power 8W

PATENTED PRODUCTS



PUSH BUTTON SWITCH

SERIES




DESCRIPTION:

- 1.360°ring-shaped LED light design
- 2.Button switch
- 3.Imported acrylic HD silvering mirror with 0-5 fold enlargement
- 4.360° rotatable angle adjustment
- 5.Coppering stand
- 6.Design of stable wall-hung type
- 7.100-250V External Power Supply/Built-in Power Supply

SPECIFICATION:

- 1.Product name:Wall-hung type Makeup mirror
- 2.Product No.:JH-ML9200
- 3. Main material: Coppering/Zinc Alloy/Silvering Mirror
- 4.Amplification:0-5 fold enlargement
- 5.Weight:1260g
- 6.Size:Diameter 180mm
- 7.Operating Humidity:0%-85%RH
- 8.Operating temperature:-10-40℃
- 9.External input:100-250V~:50/60hz
- 10.Output: 12-25VDC 30mA
- 11.Power:maximum output power 8W

NO.: ML9200





NO.: M441

COLOUR:

Chrome-plating

SERIES



HIGH PURITY SILVER PLATING, SUPER CLEAR GLASS, HIGH REFLECTANCE, AND HIGH DEFINITION.



DESCRIPTION:

- 1.Imported acrylic HD silvering mirror
- 2.3 fold enlargement
- 3.360° rotatable angle adjustment
- 4.304 stainless steel stand
- 5.Multi-layer plating process
- 6.Stable structure & skid-resistant base


SPECIFICATION:


- 1.Product name:Desktop Makeup mirror
- 2.Product No.:JH-M441
- 3. Main material: 304 Stainless Steel/ABS/Silvering Mirror
- 4.Amplification:3 fold enlargement
- 5.Weight:900g
- 6.Size:190mm×190mm
- 7.Operating Humidity:0%-85%RH
- 8.Operating temperature:-10-40℃


PATENTED PRODUCTS

Brushed Nickel plating

SERIES







DESCRIPTION:

1.RZZ2 Rockshaft technology design

2.Imported acrylic HD silvering mirror

3.3 fold enlargement

 4.360° rotatable angle adjustment

5.304 stainless steel stand

6.Multi-layer plating process

7.Design of stable wall-hung type

SPECIFICATION:

1.Product name:Wall-hung type Makeup mirror

2.Product No.:JH-M442

3. Main material: 304 Stainless Steel/ABS/Silvering Mirror

4.Amplification:0-5 fold enlargement

5.Weight:900g

6.Size:190mm×190mm

7.Operating Humidity:0%-85%RH

8.Operating temperature:-10-40℃



SERIES

DESCRIPTION:

- Imported acrylic HD silvering mirror, anti-popping and anti-impact
- 2.0-5 fold enlargement
- 3. Mirror body with a universal joint, angle adjustment
- 4.304 stainless steel stand
- 5.No fingerprints scar treatment
- 6.Stable structure & skid-resistant base

SPECIFICATION:


- 1.Product name:Desktop Makeup mirror
- 2.Product No.:JH-M111
- 3. Main material: 304 stainless steel/acrylic silvering mirror
- 4.Amplification:0-5 fold enlargement
- 5.Weight:500g
- 6.Size:Diameter 170mm
- 7.Operating Humidity:0%-85%RH
- 8.Operating temperature:-10-40℃




NO.: M111



SERIES







DESCRIPTION:


- I.Imported acrylic HD silvering mirror anti-popping and anti-impact
- 2.0-5 fold enlargement
- 3. Mirror body with a universal joint, angle adjustment
- 4.304 stainless steel stand
- 5.No fingerprints scar treatment
- 6.Stable structure & skid-resistant base

SPECIFICATION:

- 1.Product name:Wall-hung type Makeup mirror
- 2.Product No.:JH-M112
- 3. Main material: 304 stainless steel/acrylic silvering mirror
- 4.amplification:0-5 fold enlargement
- 5.Weight:250g
- 6.Size:Diameter 170mm
- 7.Operating Humidity:0%-85%RH
- 8.Operating temperature:-10-40℃

39 · PAGE · 40

SERIES



DESCRIPTION:

- Imported acrylic HD silvering mirror,anti-popping and anti-impact
- 2.0-5 fold enlargement
- 3. Mirror body with a universal joint, angle adjustment
- 4.304 stainless steel stand
- 5.No fingerprints scar treatment
- 6.Stable structure & skid-resistant base

SPECIFICATION:

- 1.Product name:Desktop Makeup mirrorr
- 2.Product No.:JH-M113
- 3.Main material: 304 stainless steel/acrylic silvering mirror
- 4.Amplification:0-5 fold enlargement
- 5.Weight:550g
- 6.Size:170mm×170mm
- 7.Operating Humidity:0%-85%RH
- 8.Operating temperature:-10-40℃




PATENTED PRODUCTS



· PAGE · 42

SERIES





DESCRIPTION:

- 1.RZZ2 Rockshaft technology design
- 2.Imported acrylic HD silvering mirror, anti-popping and anti-impact
- 3.0-5 fold enlargement
- 4. Mirror body with a universal joint, angle adjustment
- 5.304 stainless steel stand
- 6.No fingerprints scar treatment
- 7.Design of stable wall-hung type

SPECIFICATION:

- 1.Product name:Wall-hung type Makeup mirror
- 2.Product No.:JH-M114
- 3. Main material: 304 stainless steel/acrylic silvering mirror
- 4.Amplification:0-5 fold enlargement
- 5.Weight:500g
- 6.Size:170mm×170mm
- 7.Operating Humidity:0%-85%RH
- 8.Operating temperature:-10-40℃



TO ADJUST THE
ANGLE WITH A
UNIVERSAL JOINT,
360°SHOW
YOUR BEAUTY.

SERIES



DESCRIPTION:

- Imported acrylic HD silvering mirror, anti-popping and anti-impact
- 2.0-5 fold enlargement
- 3. Mirror body with a universal joint, angle adjustment
- 4.304 stainless steel stand
- 5.No fingerprints scar treatment
- 6.Stable structure & skid-resistant base

SPECIFICATION:

- 1.Product name:Desktop Makeup mirror
- 2.Product No.:JH-M115
- 3.Main material: 304 stainless steel/acrylic silvering mirror
- 4.Amplification:0-5 fold enlargement
- 5.Weight:550g
- 6.Size:130mm×210mm
- 7.Operating Humidity:0%-85%RH
- 8.Operating temperature:-10-40℃



PATENTED PRODUCTS





· PAGE · 48

SERIES




DESCRIPTION:

- 1.RZZ2 Rockshaft technology design
- 2.Imported acrylic HD silvering mirror, anti-popping and anti-impact
- 3.0-5 fold enlargement
- 4. Mirror body with a universal joint, angle adjustment
- 5.304 stainless steel stand
- 6.No fingerprints scar treatment
- 7.Design of stable wall-hung type

SPECIFICATION:

- 1.Product name:Wall-hung type Makeup mirror
- 2.Product No.:JH-M116
- 3. Main material: 304 stainless steel/acrylic silvering mirror
- 4.Amplification:0-5 fold enlargement
- 5.Weight:600g
- 6.Size:130mm×210mm
- 7.Operating Humidity:0%-85%RH
- 8.Operating temperature:-10-40℃


NO.: M116





49 · PAGE · 50

SERIES



COLOUR:

Chrome-plating

DESCRIPTION:

1.Imported acrylic HD silvering mirror

2.Double-mirror design with 0-5 fold enlargement

3.360° rotatable angle adjustment

4.Metallic stand

5.Plating treatment

6.Stable structure & skid-resistant base

SPECIFICATION:

1.Product name:Desktop Makeup mirror

2.Product No.:JH-M5600

3. Main material: Coppering/304 Stainless Steel/Silvering Mirror

4.Amplification:0-5 fold enlargement

5.Weight:681g

6.Size:Diameter 6/8 inches

7.Operating Humidity:: 0%-85%RH

8.Operating

temperature: - 10-40°C

PATENTED PRODUCTS



DESCRIPTION:

NO.: M7508

COLOUR:

Chrome-plating

1.Imported acrylic HD silvering mirror

2.Double-mirror design with 0-5 fold enlargement

3.360°rotatable angle adjustment

4.Metallic stand

5.Plating treatment

6.Stable structure & skid-resistant base

SPECIFICATION:

1.Product name:Desktop Makeup mirror

2.Product No.:JH-M7508

3. Main material: Coppering/304 Stainless Steel/Silvering Mirror

4.Amplification:0-5 fold enlargement

5.Weight:864g

6.Size:Diameter 6/8 inches

7. Operating Humidity:: 0%-85%RH

8.Operating

temperature: - 10-40°C


PATENTED PRODUCTS





PAGE · 52 51 · PAGE

SERIES





COLOUR:

Chrome-plating

NO.: M7009

DESCRIPTION:

1.Imported acrylic HD silvering mirror

2.Double-mirror design with 0-5 fold enlargement

3.360° rotatable angle adjustment

4.Metallic stand

5.Plating treatment

6.Design of stable wall-hung type

1.Product name:Wall-hung type Makeup mirror

2.Product No.:JH-M7009

3. Main material: Coppering/304 Stainless Steel/Silvering Mirror

4.Amplification:0-5 fold enlargement

5.Weight:878.5g

6.Size:Diameter 6/8 inches

7.Operating Humidity:: 0%-85%RH


8.Operating

temperature: - 10-40°C

PATENTED PRODUCTS



SPECIFICATION:





COLOUR:

Chrome-plating

DESCRIPTION:

1.Imported acrylic HD silvering mirror

2.Double-mirror design with 0-5 fold enlargement

3.360°rotatable angle adjustment

4.Metallic stand

5.Plating treatment

6.Design of stable wall-hung type

SPECIFICATION:

1.Product name:Wall-hung type Makeup mirror

2.Product No.:JH-M2000

3. Main material: Coppering/304 Stainless Steel/Silvering Mirror

4.Amplification:0-5 fold enlargement

5.Weight:877g

6.Size:Diameter 6/8 inches

7.Operating Humidity:: 0%-85%RH

8.Operating

temperature: - 10-40°C


PATENTED PRODUCTS





PAGE · 54 53 · PAGE

SERIES



DESCRIPTION:

- 1.Imported acrylic HD silvering mirror
- 2.Double-mirror design with 0-5 fold enlargement
- 3.360° rotatable angle adjustment
- 4.Metallic stand
- 5.Plating treatment
- 6.Design of stable wall-hung type

SPECIFICATION:

- 1.Product name:Wall-hung type Makeup mirror
- 2.Product No.:JH-M6709
- 3. Main material: Coppering/304 Stainless Steel/Silvering Mirror
- 4.Amplification:0-5 fold enlargement
- 5.Weight:835g
- 6.Size:Diameter 6/8 inches
- 7.Operating Humidity:: 0%-85%RH
- 8.Operating
- temperature: 10-40°C

PATENTED PRODUCTS





